





















radiant.org.ua	formul.com.ua	Диаметр, мм	Розница, USD
	PP-R Труба PN 20 горячая	20	0.65
		25	1.24
		32	2.00
		40	3.09
		50	4.98
		63	7.79
	PP-R Труба PN 20 FIBERglass	20	0.85
		25	1.27
		32	2.08
		40	3.27
		50	5.21
		63	8.12
		75	11.55
		90	17.74
	PP-R Труба PN 25 BH superpipe	20	1.44
		25	2.16
		32	3.60
		40	5.54
	PP-R Труба PN 20 BH Алюминий	20	1.40
		25	1.94
		32	3.08
		40	4.65
		50	7.12
		63	10.74
	PE-RT Труба with Oxygen Barrier	16	0.77
	Американка В/р	20-1/2`	1.78
		25-3/4`	2.66
		32-1`	4.03
		40-1,1/4`	5.92
		50-1,1/2`	11.54
		63-2`	19.24
	Американка Н/р	20-1/2`	1.92
		25-3/4`	2.96
		32-1`	4.17
		40-1,1/4`	7.40
		50-1,1/2`	11.54
		63-2`	20.72

radiant.org.ua		formul.com.ua	
		Диаметр, мм	Розница, USD
	Вентиль	20	4.34
		25	4.93
		32	7.94
		40	11.10
	Заглушка	20	0.10
		25	0.16
		32	0.28
		40	0.53
		50	0.67
		63	1.26
		75	2.02
		90	3.82
		110	5.13
125	15.45		
	Заглушка резьбовая	20	0.11
		25	0.11
	Заглушка резьбовая удлиненная	20	0.25
	Кран Шаровый	20	2.07
		25	2.96
		32	5.92
		40	9.77
		50	16.28
		63	27.67
		75	35.81
	Кран Шаровый В/р	20-1/2`	5.23
		25-3/4`	7.11
	Кран Шаровый мини	20	1.78
		25	2.42
		32	3.85
	Кран Шаровый Радиаторный прямой	20-1/2`	4.14
		25-1/2`	5.56
		25-3/4`	5.92
	Кран Шаровый Радиаторный угловой	20-1/2`	4.14
		25-1/2`	5.56
		25-3/4`	5.92



radiant.org.ua		formul.com.ua		Диаметр, мм	Розница, USD
	Крепление	16	0.11		
		20-22	0.06		
		25-27	0.07		
		32-34	0.11		
		40-42	0.15		
		50-52	0.21		
	Крепление двойное	20-22	0.10		
		25-27	0.15		
		32-34	0.19		
	Крестовина	20	0.30		
		25	0.46		
		32	0.86		
		40	1.24		
	Муфта	20	0.07		
		25	0.12		
		32	0.25		
		40	0.43		
		50	0.76		
		63	1.54		
		75	2.33		
		90	4.28		
		110	6.20		
	Муфта переходная	125	12.44		
		25/20	0.10		
		32/20	0.18		
		32/25	0.18		
		40/20	0.27		
		40/25	0.27		
		40/32	0.28		
		50/25	0.45		
		50/32	0.45		
		50/40	0.46		
		63/32	0.87		
		63/40	0.90		
		63/50	0.95		
		75/40	1.43		
		75/50	1.53		
		75/63	1.75		
		90/50	2.53		
		90/63	2.69		
		90/75	3.07		
		110/63	3.87		
110/75	4.02				
110/90	5.11				

RADIANT**formül**[®]radiant.org.uaformul.com.ua

Диаметр, мм

Розница, USD



Муфта внутренняя

125/110	7.53
125/90	7.38
25/20	0.19
32/20	0.23
32/25	0.23
40/20	0.47
40/25	0.49



Муфта В/р

20-1/2`	0.85
20-3/4`	1.23
25-1/2`	0.98
25-3/4`	1.21
25-1`	1.22
32-1/2`	1.79
32-3/4`	1.82
32-1`	2.54
40-1,1/4`	4.63
50-1,1/2`	8.30
63-2`	12.36
75-2,1/2`	21.84
90-3`	34.78
110-4`	62.06
125-5`	77.52



Муфта В/р накГайка








20-1/2`	1.86
20-3/4`	2.65
25-1/2`	2.53
25-3/4`	2.78
32-1`	5.80







Муфта Н/р








20-1/2`	0.99
20-3/4`	1.79
25-1/2`	1.19
25-3/4`	1.85
32-1/2`	1.94
32-3/4`	2.26
32-1`	2.73
40-1,1/4`	7.76
50-1,1/2`	10.61
63-2`	17.73
75-2,1/2`	27.62
90-3`	39.72
110-4`	70.61








radiant.org.ua	formul.com.ua	Диаметр, мм	Розница, USD
		125-5`	90.63
	Муфта разборная	20	3.06
		25	4.54
		32	5.62
		40	11.84
		50	18.35
		63	34.92
	Обвод	20	0.45
		25	0.62
		32	1.48
	Обвод мини	20	0.25
		25	0.46
		32	1.06
	Планка для Смесителя	20-1/2`	2.93
		25-1/2`	3.65
	Пятерник	20	0.76
		25-20	0.94
	Тройник	20	0.14
		25	0.23
		32	0.57
		40	1.00
		50	1.60
		63	3.02
		75	4.86
		90	8.53
		110	15.26
125	21.61		
		20/25/20	0.25
		25/20/20	0.25
		25/20/25	0.25
		25/25/20	0.27
		32/20/20	0.47
		32/20/25	0.47
		32/20/32	0.47
		32/25/20	0.45
		32/25/25	0.47
		32/25/32	0.47
		40/20/40	0.79
		40/25/40	0.79

radiant.org.ua		formul.com.ua	
		Диаметр, мм	Розница, USD
	Тройник переходной	40/32/40	0.79
		50/20/50	1.48
		50/25/50	1.48
		50/32/50	1.48
		50/40/50	1.48
		63/20/63	2.96
		63/25/63	2.96
		63/32/63	2.96
		63/40/63	2.96
		63/50/63	2.96
		75/20/75	6.66
		75/25/75	6.66
		75/32/75	6.66
		75/40/75	6.66
		75/50/75	6.66
		75/63/75	6.66
	Тройник В/р	20-1/2`	1.12
		20-3/4`	1.61
		25-1/2`	1.23
		25-3/4`	1.53
		32-1/2`	2.30
		32-3/4`	2.15
		32-1`	2.66
		40-1,1/4`	7.71
	Тройник Н/р	20-1/2`	1.61
		20-3/4`	2.15
		25-1/2`	1.89
		25-3/4`	2.35
		32-1/2`	3.11
		32-3/4`	3.17
		32-1`	3.91
	Угол 45°	20	0.10
		25	0.17
		32	0.40
		40	0.72
		50	1.14
		63	2.33
		75	4.52
		90	8.81

RADIANT**formül**[®]

radiant.org.ua		formul.com.ua	Диаметр, мм	Розница, USD
			110	14.76
	Угол 45° В/Н		20	0.24
			25	0.37
	Угол 90°		25-20	0.39
			32-25	0.44
	Угол 90°		20	0.09
			25	0.17
			32	0.37
			40	0.84
			50	1.55
			63	2.53
			75	4.34
			90	7.50
			110	11.44
	125	26.82		
	Угол 90° В/Н		20	0.24
			25	0.36
			32	0.37
	Угол В/р		20-1/2`	0.89
			20-3/4`	1.24
			25-1/2`	1.09
			25-3/4`	1.35
			32-1/2`	1.89
			32-3/4`	1.97
			32-1`	2.70
			40-1,1/4`	7.37
	Угол В/р накГайка		20-1/2`	1.94
			20-3/4`	2.80
			25-3/4`	2.82
			25 -1`	4.64
			32-3/4`	3.33
			32-1`	5.53
	Угол В/р с креплением		20-1/2`	0.99
			25-1/2`	1.18

RADIANT**formül**[®]

radiant.org.ua		formul.com.ua	Диаметр, мм	Розница, USD
	Угол Н/р	20-1/2`	1.07	
		20-3/4`	1.89	
		25-1/2`	1.34	
		25-3/4`	1.83	
		32-1/2`	2.38	
		32-3/4`	2.42	
		32-1`	2.96	
		40-1,1/4`	7.76	
	Угол Н/р с креплением	20-1/2`	1.27	
	Фильтр В/В	20	1.78	
		25	2.22	
		32	2.96	
	Фильтр В/Н	20	1.78	
		25	2.22	
		32	2.96	
	Фланец	50	4.84	
		63	5.38	
		75	9.42	
		90	10.76	
		110	13.45	
	Адаптер для Фланца	50	1.61	
		63	2.02	
		75	3.77	
		90	4.70	
		110	6.19	